



AUDIT SEATS

New seat programme for auditoriums, theatres, conference centres, designed by **Alegre Industrial™** and Actiu R+D Department.

New range has standard products that could be developed for specific projects.

The programme has five models:

- AUDIT 10: Upholstered Mono-block with upholstered side panels which are feet and arms at the same time. Upholstered backrest finish.
- AUDIT 20: Upholstered mono-block with central feet which is fixed to the upholstered sides with a steel frame. Upholstered backrest finish.
- AUDIT 30: Upholstered Mono-block with wood side panels which are feet and arms at the same time. Upholstered backrest finish.
- AUDIT 50: Upholstered Mono-block with upholstered side panels which are feet and arms at the same time. Upholstered backrest finish. The seat and backrest can be folded.
- AUDIT 70: Upholstered Mono-block with wood side panels which are feet and arms at the same time. Upholstered backrest finish. Upholstered backrest finish. The seat and backrest can be folded.

Finishes:

Seat and back are fire self-extinguishing* moulded foam, lumbar support in both models.











AUDIT 50

AUDIT 70

^{*} Self-extinguishing: do not keep burning when removing the ignition source






■ INSTALLATION AND ACCESSIBILITY - SIDE FEET

Actiu manufacture <u>1 reference</u> for flat floors. This must be pointed in each of the quoted projects


90° FLOORS



■ INSTALLATION AND ACCESSIBILITY - CENTRAL PEDESTAL


Actiu manufacture $\underline{2 \text{ references}}$ which can be adapted whether in the flat floors or in up to 10° inclined floors as per the standards. This must be pointed in each of the quoted projects.

90° FLOORS



INCLINED FLOORS

Inclination can not exceed on $10^{\rm o}$, if so, it is necessary to use steps













■ TYPE OF INSTALLATIONS

Models could be adapted to lineal or curved layouts







■ AUDIT - TECHNICAL CHARACTERISTICS

Seat and back moulded polyurethane self-extinguishing foam (60-65 kg/m3), ergonomics. Great comfort. Wide variety of finishes. **M1and M2 fire barrier.**

Arms lined-up seats. Silent folded mechanism of the seat.


Steel frame that fixes the seat, sides and back.


Central pedestal is moulded aluminium epoxy finish. Fixed to floor with a steel plate.

Seats could be **numbered (optional).** End arms (left or right) with the row identification.

DIMENSIONS


Total Width: 64 cm Total Height: 91 cm Seat width: 49 cm Seat height: 42,5 cm






■ HOW TO FIX AND INSTALL IT


AUDIT 20: Seats are fixed each other by middle size side support. It is fixed to the floor by a steel articulated plate which provides the adjustment of the seat. The central pedestal fixed the steel plate to the seat base.



SEATANDBACKCHARACTERISTICS



ARMSCHARACTERISTICS




■ AUDIT WITH WRITING TABLET - BLACK COMPACT LAMINATE (13 mm)

AUDIT seats be ordered from the very beginning with the writing tablet, otherwise it is not possible to fix a writing tablet as they have different frame.



et Writing tablet displayed







MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

24,35%



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100% RECYCLABLE ALUMINIUM, STEEL & WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100% RECYCLABLE PACKAGE AND THINNER FREE



USE

Quality and warranty. Long lasting. Replacements available.

TO CLEAN AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

79,06% RECYCLABLE MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of esponsable forestry



PEFC Certificate



ECODESIGN Certificate



ISO 9001 Certificate



UNE-EN ISO 14001:2004 ISO 14001 Certificate



E1 Certificate by EN 13986



LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 . LEED® Platinum certified 2017

STANDARDS

AUDIT 20 have passed all test done in our tecnological laboratory as well as the essays done in **(AIDIMA)** Furniture Technological Institute: **UNE EN ISO 14073.** Office Furniture. Furniture Storage.

- UNE-EN:12727:01. Furniture. Ranked seating. Test methods and requirement for strength and durability.