


DYNAMIC 45


— By I+D+i Actiu —




RECTANGULAR DESKS




CONFERENCE TABLES




TRAINING TABLES




MEETING DESKS



COFFEE TABLES - 43cm. HEIGHT



SAMPLE LAYOUTS - DYNAMIC






■ TECHNICAL DETAILS

- ① MFC tops 19 mm thick. 3 standard finishes.
- ② Operative tables, for education, training etc.
- ③ 3 types of leg style: leveler, height adjustment and castors
- ④ Cable tray optional top, access to cable management and cable riser
- ⑤ Optional MFC Modesty panel
- ⑥ Optional CPU Holder

■ FRAME AND SUPPORTS

Legs: 1,5mm thick laminated steel, 45mm diameter legs.
Frame: 40 x 20 x 1.5 mm Rolled steel frame profile with epoxy finish.
Linking devices: Moulded aluminium linking devices with epoxy finish




Detail
Structure Frame




Detail
Moulded aluminium linking device

■ SUPPORTS


Legs available with three different supports:
 ABS moulded **Levellers** with anti-skid caps.
 Anti-skid 65 mm diameter **Castors**. Two lockable castors.
Height adjustable system 68,5 cm - 76,5 cm. Progressive mechanism.



Levellers
h 73,5 cm



Height adjustable
h 68,5 - 76,5 cm



Castors
h 73,5 cm

■ FRAME FINISHES

Epoxy finish



Silver White

■ SURFACE FINISHES

MFC (19 mm)



White Lime oak Chestnut



Configuration example: using trapezoidal table

■ LINKING DEVICES

Moulded aluminium linking devices with epoxy finish. It is possible to form different table shapes to be used in conference or meeting rooms.



■ DYNAMIC ACCESSORIES




Access to 'T' wiring.
Push Latch



Access to 'U' wiring.



Metallic Container use
with "T" Wiring access



Polystyrene cable
spine



Steel metal cable
riser



CPU Holder



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

25,41%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

96,78%
RECYCLABLE
MATERIALS

■ CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



PARQUE TECNOLÓGICO ACTIU
proyecto certificado LEED® GOLD
por el U.S. Green Building Council en 2011
Leadership in Energy & Environmental Design