




TABULA TABLES - TAR 30

- By Actiu -



TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
Base	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black, Blue, Orange and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished.
Supports	Levellers with anti-skid pads.	Levellers with anti-skid pads. Optional: 45mm diameter black castors with Teflon tyre thread.	Levellers with anti-skid pads.
Column	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver, Blue, Orange and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
Table top	25mm thick MFC tops and 13mm thick Compact Laminated top	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
Height	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
Outdoor table	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
Connectivity options	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.



TAR10 TABULA TABLES

TAR20 TABULA TABLES

TAR30 TABULA TABLES

Steel Base
Ø40 / Ø45 cm









































Injected Aluminium base
Ø67,5 cm


Injected Aluminium base
Ø58 / Ø66 cm

Steel column Ø60 mm

Aluminium column Ø60 mm

Steel column Ø76 mm

	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 Ø120 cm									
	 60x60 cm									
	 70x70 cm									
	 80x80 cm									
	 90x60 cm									
	 140x70 cm									
110 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 60x60 cm									
40 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									




- ① **Work tops** available in Melamine (25mm) Compact Laminate (13mm) or laminated security glass (5+5 mm), round shape edge
- ② Steel **Column** 76 mm diameter and 2 mm thickness
- ③ **Base:** Aluminium Die Casting Bases, Ø58 or Ø66 cm, silver, white and black. The base have an anti-skid pad.
- ④ **3 different Heights:**
 - 40 cm. height Tables
 - 74 cm. height Tables
 - 110 cm. height Tables
- ⑤ **Optional Connectivity:** TALL models with melamine and phenolic surfaces can optionally incorporate integrated connection access to the table surface with a plug.




- ⑥ **Levellers** with anti-skid pads


■ BASES



Silver Steel Cylinder Tube
Die Casted Aluminium base, silver finish - Anti-skid pads




White Steel Cylinder Tube
Die Casted Aluminium base, white finish - Anti-skid pads



Black Steel Cylinder Tube
Die Casted Aluminium base, black finish - Anti-skid pads

■ TÁBULA TABLES TAR-30



■ FINISHES (see table of finishes)

MFC (25 mm)



00 WHITE 11 LIME OAK 10 LIGHT OAK 07 CHESTNUT 14 DARK OAK 03 BLACK

Compact Laminate (13 mm)



30 WHITE 38 BLACK

Glass



50 FROSTED 52 WHITE 59 BLACK



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

15,74%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

51,97%
RECYCLABLE
MATERIALS

■ **CERTIFICATES AND REFERENCES**

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of responsible forestry



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



California 93120
Compliant: Formaldehyde: Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017