
ASSEMBLY INSTRUCTION

Item#:638-75006 Brynlee Side Chair/2per ctn

** Please make sure you have all parts indicated below prior to assembly.



HARDWARE LIST			
No	Item	Description	Q'ty
A		FLAT WASHER	9
B		LOCK WASHER	9
C		$\frac{5}{16}$"*50MM BOLT	5
D		ALLEN WRENCH	1
E		$\frac{5}{16}$"*70MM BOLT	4

Assembly Steps:

There are two K/D chairs in one box. Please follow numbers on one chair and letters on the other chair during assembly.

1. Place back frame (G) on a clean surface.
2. Tighten seat frame(I) to the back legs of frame(G) by using bolt(C), lock washer(B) and flat washer(A) at the center location (see diagram 2). Then, tighten seat frame (I) to back legs of frame (G) using bolts (E), lock washers (B) and flat washers (A) at corner blocks. (See diagram 1)




DIAGRAM 2

DIAGRAM 1

3. Install front legs (F) onto seat frame (I) using bolts (C), lock washers (B), flat washers (A). Tighten all bolts by hand. (See diagram 2)

4. After all bolts are attached and hand tightened, turn the chair upright.


5. Level the chair following the “chair leveling instruction” as below.
6. Make sure the chair is level and then tighten all bolts completely by using the allen wrench (D).

PLEASE READ THESE INSTRUCTIONS PRIOR TO ASSEMBLING THE CHAIRS
CHAIR LEVELING INSTRUCTION SUPPLEMENT

Chair leveling procedures:

To make the assembly process easy and efficient, please read the entire instruction sheet prior to assembling of the chair. Make sure all hardware listed is included. To properly assemble the chair, none of the bolts should be fully tightened until all components are attached to the chair. This will allow an opportunity to level the chair and prevent any unnecessary “rocking”.

1. Place the loosely assembled chair on a hard flat surface.
2. Apply gentle downward pressure on the seat. This step eliminates rocking and ensures the chair to be level.
3. Once the chair is level, tighten all bolts and nuts.



Note:

Most floors have slight irregularities that can affect chair leveling. If your chair is uneven when placed in its desired location, perform the following steps:

1. Loosen front legs to finger tight.

2. Extend both front legs upward to their fullest length.

3. Gently push downward on the front edge of the seat until all four legs rest on the floor.


4. Re-tighten all bolts and nuts.

Cleaning Instruction: Clean finished parts with a damp cloth using a mild dishwashing liquid and water solution. Polish the finish with soft cloth and an industry recognized furniture polish.


ASSEMBLY INSTRUCTION

Item#: 638-75107& 638-75108 Brynlee 42in Dining Table

** Please make sure you have all parts indicated below prior to assembly.
This unit is heavy and can best be assembled with the help of two or more persons.




HARDWARE LIST			
No	Item	Description	Q'ty
A		FLAT WASHER	4
B		LOCK WASHER	4
C		BOLT	4
D		ALLEN WRENCH	1




Mounting Bridge

See Diagram 1




See Diagram 2

2” Wood Block



See Diagram 3



See Diagram 4

Assembly Steps:

1. Remove 2” wood block from the base by using allen wrench in anticlockwise direction. (See Diagram 1)

2. There are two height options for this dining table, 32” high with the 2” wood block mounted and 30” high without the 2” wood block.

1) Option 1: 32” high
   Attach the removable 2” wood block to table top by using 4 bolts (C), 4 lock washers (B) and 4 flat washers (A) and tighten with allen wrench (D) in clockwise direction. (See Diagram 2)

   Align the positioning holes and screw the table top and base by using 4 bolts (C), 4 lock washers (B) and 4 flat washers (A) and tighten with allen wrench (D) in clockwise direction. (See Diagram 3)

2) Option 2: 30” high

   Align the positioning holes and screw the table top and base by using 4 bolts (C), 4 lock washers (B) and 4 flat washers (A) and tighten with allen wrench (D) in clockwise direction. (See Diagram 4)

   When you assemble this table by option 2, you could put the 2” wood block away and mounted it when you feel necessary.

Cleaning Instruction: Clean finished parts with a damp cloth using a mild dishwashing liquid and water solution. Polish the finish with soft cloth and an industry recognized furniture polish.